

## Fertilizing scheme DEDICATED (A+B)

All amounts are in ml. per 10 litres of water	Growth period to		Flowering			mid Flowering		end Flowering		Last week/ Flush
<b>A+B scheme</b>										
Nutri Forte A+B or Coco Forte A+B	10A + 10B	15A + 15B	18A + 18B	20A + 20B	23A + 23B	20A + 20B	20A + 20B	18A + 18B	< 18A + < 18B	-
BN Roots	once 100 ml	-	-	-	once 100 ml	-	-	-	-	-
BN X-ceL	5	5	8	8	10	10	10	10	10	10
The Missing Link	5	5	5	5	5	5	5	5	5	5
BN-Zym	3	3	3	3	3	3	3	3	3	3

### Useful tips for the use of DEDICATED fertilizing scheme

- First add water to the feed vessel, then add SuperMix and stir well.
- In areas of soft water it is recommended to add Ca15 to the SuperMixes.
- If Nutri Forte or Coco Forte are used, first mix A and then add B.
- When using SuperMixes add PK 13-14 and mix well. When using Nutri Forte or Coco Forte it is not necessary to add PK 13-14.
- Leave the mix for one hour and then adjust the pH value to pH 5.8.
- The dosage of the main fertilizer can be adjusted by  $\pm 10\%$ .
- Do not use fertilizer in the last week before harvest.
- For long flowering plants and when using LongFlower-SuperMix, the schedule should be extended from mid flowering.
- Use BN Roots when planting and repeat after 30 days. In periods of high stress in the plants we recommend using BN Roots every week.
- We recommend to add FreeFlow to all mixes to increase the permeability of liquids due to its natural wetting ability.
- < indicates the dosage may be adjusted at your discretion.

## Fertilizing scheme DEDICATED (SuperMix)

All amounts are in ml. per 10 litres of water	Growth period	to	Flowering	mid Flowering	end Flowering	Last week/ Flush

SuperMix scheme										
Soil-SuperMix Hydro-SuperMix NFT Aqua-SuperMix LongFlower-SuperMix AutoFlower-SuperMix	15	20	28	30	33	30	28	25	< 25	-
PK 13-14	-	2	3	4	6	8	8	10	< 10	-
BN Roots	once 100 ml	-	-	-	once 100 ml	-	-	-	-	-
BN X-ceL	5	5	8	8	10	10	10	10	10	10
The Missing Link	5	5	5	5	5	5	5	5	5	5
BN-Zym	3	3	3	3	3	3	3	3	3	3

### Useful tips for the use of DEDICATED fertilizing scheme

- First add water to the feed vessel, then add SuperMix and stir well.
- In areas of soft water it is recommended to add Ca15 to the SuperMixes.
- If Nutri Forte or Coco Forte are used, first mix A and then add B.
- When using SuperMixes add PK 13-14 and mix well. When using Nutri Forte or Coco Forte it is not necessary to add PK 13-14.
- Leave the mix for one hour and then adjust the pH value to pH 5.8.
- The dosage of the main fertilizer can be adjusted by  $\pm$  10%.
- Do not use fertilizer in the last week before harvest.
- For long flowering plants and when using LongFlower-SuperMix, the schedule should be extended from mid flowering.
- Use BN Roots when planting and repeat after 30 days. In periods of high stress in the plants we recommend using BN Roots every week.
- We recommend to add FreeFlow to all mixes to increase the permeability of liquids due to its natural wetting ability.
- < indicates the dosage may be adjusted at your discretion.

## Fertilizing scheme DEDICATED (SuperMix)

All amounts are in ml. per 10 litres of water	Growth period	to	Flowering	mid Flowering	end Flowering	Last week/ Flush

SuperMix scheme										
Soil-SuperMix Hydro-SuperMix NFT Aqua-SuperMix LongFlower-SuperMix AutoFlower-SuperMix	15	20	28	30	33	30	28	25	< 25	-
PK 13-14	-	2	3	4	6	8	8	10	< 10	-
BN Roots	once 100 ml	-	-	-	once 100 ml	-	-	-	-	-
BN X-ceL	5	5	8	8	10	10	10	10	10	10
The Missing Link	5	5	5	5	5	5	5	5	5	5
BN-Zym	3	3	3	3	3	3	3	3	3	3

### Useful tips for the use of DEDICATED fertilizing scheme

- First add water to the feed vessel, then add SuperMix and stir well.
- In areas of soft water it is recommended to add Ca15 to the SuperMixes.
- If Nutri Forte or Coco Forte are used, first mix A and then add B.
- When using SuperMixes add PK 13-14 and mix well. When using Nutri Forte or Coco Forte it is not necessary to add PK 13-14.
- Leave the mix for one hour and then adjust the pH value to pH 5.8.
- The dosage of the main fertilizer can be adjusted by  $\pm$  10%.
- Do not use fertilizer in the last week before harvest.
- For long flowering plants and when using LongFlower-SuperMix, the schedule should be extended from mid flowering.
- Use BN Roots when planting and repeat after 30 days. In periods of high stress in the plants we recommend using BN Roots every week.
- We recommend to add FreeFlow to all mixes to increase the permeability of liquids due to its natural wetting ability.
- < indicates the dosage may be adjusted at your discretion.